

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7191438").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 23:29
L2	2	(download\$5 import\$4 transfer\$4 transmit\$4) with (security with policy) same ((new\$4 purchased deployed) adj2 (device computer client machine)) and @ad< "20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:32
L3	3	(download\$5 import\$4 transfer\$4 transmit\$4) with (security with policy) same (restricted with (access\$4 zone)) and @ad< "20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 23:43
L5	1	("7346924").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 23:54
L6	2	10/249073	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:02
L7	3	(new adj2 (device client computer machine)) same (compli\$4 with (security near2 policy)) same ((restricted with (area zone))(internet access \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:16
L8	1	("7249187").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/21 00:19
L9	1	("20030177389").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/21 00:23
L10	3	(new adj2 (device client computer machine)) same ((compli\$4 conform\$4) with (security near2 policy)) same ((restricted with (area zone)) (internet access\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:37

L11	3	(new adj2 (device client computer machine)) same ((compli\$4 conform\$4 fulfil \$4 satisfy\$4) with (security near2 policy)) same ((restricted with (area zone))(internet access\$4))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:38
L12	32	(new adj2 (device client computer machine)) and ((compli\$4 conform\$4 fulfil \$4 satisfy\$4) with (security near2 policy)) same ((restricted with (area zone))(internet access\$4))	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:38
L13	16	(new adj2 (device client computer machine)) and ((compli\$4 conform\$4 fulfil \$4 satisfy\$4) with (security near2 policy)) same ((restricted with (area zone))(internet access\$4)) and @ad< "20040630"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/21 00:39
S1	1	10/710781	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:02
S3	13	(protect\$4 with (new near5 (computer device)) and (initial with (configuration deployment)) and (lan or local (restricted with (area zone)))) and @ad< "20040607"	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:06
S4	14	(gregor near2 freund).inv.	US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:13

S5	51	("7111321" "7093283" "7051366" "7047288" "6941471" "6920558" "6904466" "6779120" "6775536" "6738908" "6622150" "6553498" "6499110" "6453419" "6430561" "6341352" "6202157" "6170057" "6167513" "6163843" "6098173" "6067620" "5987611" "5950195" "5903652" "5164988").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:17
S6	1	("6721555").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 09:30
S7	0	S5 and (initial with (configuration deployment)) and (lan or local (restricted with (area zone))) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:36
S8	19	S5 and ((initial config\$6 deploy\$4)) and (lan or local (restricted with (area zone))) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 09:37
S9	173	((detect\$4 intercept\$4) with (internet with access \$4 with request\$4)) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 10:00
S10	3	((detect\$4 intercept\$4 redirect\$4) with (internet with access\$4 with request \$4)) and (security with policy) and ((new adj2 (device computer)) (initial with (configur\$6 deployment))) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 10:05
S12	48	(security with policy) same ((new adj2 (device computer)) (initial with (configur\$6 deployment))) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 10:08

S13	3	(security with policy) same ((new adj2 (device computer)) (initial with (configur\$6 deployment)) and ((block \$4 prevent\$4) with (access\$4 request\$4) with internet) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 10:09
S15	1	((detect\$4 intercept\$4) with (internet with (access \$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same (new adj2 (device computer machine workstation desktop)) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:05
S16	62	((internet with (access\$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same (new adj2 (device computer machine workstation desktop)) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:11
S17	41	((internet with (access\$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same (new adj2 (device computer machine workstation desktop)) and @ad< "20040607" and (purchased acquired deployed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:12
S18	283	((internet with (access\$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same ((purchased acquired deployed new) with (device computer machine workstation desktop)) and @ad< "20040607"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:13
S19	0	ep-10246246-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:30

S20	2	ep-1024626-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:30
S21	4	((internet with (access\$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same (new adj2 (device computer machine workstation desktop)) and @ad< "20040607" and (purchased acquired deployed) and ((approved authorized) with (host server firewall))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:34
S22	6	((internet with (access\$4 connect\$7 communicat\$7 request\$4))) and (configur\$7 with security) same (new adj2 (device computer machine workstation desktop)) and @ad< "20040607" and ((approved authorized) with (host server firewall))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:42
S23	6	howard.inv. and ikms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:46
S24	0	(pre\$1access\$4 with security with configur\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 13:51
S25	106	(security with configur\$7 same ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 intercept\$4) with (connection communication request)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:04

S26	106	(security with configur\$7) same ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 intercept\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:05
S27	1	(security with configur\$7) same ((new\$2 purchased deployed) near2 (device computer machine)) same ((block\$4 intercept\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:06
S28	310	(security with configur\$7) same ((new\$2 purchased deployed) with (device computer machine)) and ((block\$4 intercept\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:10
S29	110	(security with configur\$7) with ((new\$2 purchased deployed) with (device computer machine)) and ((block\$4 intercept\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:13
S30	8	(security with configur\$7) with ((new\$2 purchased deployed) with (device computer machine)) same ((block\$4 intercept\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:14
S31	6	10/305622	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:43
S32	122	(security with configur\$7) with ((new\$2 purchased deployed) with (device computer machine)) and ((block\$4 prevent\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:53

S34	31	(security with configur\$7) with ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 prevent\$4) with (connection communication request))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:55
S35	7	(security with configur\$7) with ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 prevent\$4) with (connection communication request)) and @ad< "20030630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:56
S36	11	(security with configur\$7) with ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 prevent\$4) with (connection communication request)) and @ad< "20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 14:57
S37	1	("7010807").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 15:34
S38	1	("5987611").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 19:13
S39	65	(security with configur\$7) same ((new\$2 purchased deployed) near2 (device computer machine)) and ((block\$4 prevent\$4) with (connection communication request)) and @ad< "20040630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/20 20:07
S40	1	("7013331").PN.	US-PGPUB; USPAT	OR	OFF	2008/07/20 20:09

7/21/08 3:03:10 AM

C:\ Documents and Settings\sgelagay\ My Documents\ EAST\ Workspaces\ 10710781.wsp